Elektroninio pašto serveris Kaip pajungti globalią adresų knygelę LDAP protokolu MS Outlook programoje

Poreikis: Realiu laiku sinchronizuoti el. pašto serverio naudotojų globalią adresų knygutę klientinėje darbo vietoje naudojant MS Outlook elektroninio pašto programą.

Sprendimas:

1. Atverkite MS Outlook pašto programą: File - Info - Account Settings.



2. Pasirinkite Address Books kortelę.

-	count Settings	3			
	Directories and Address Books You can choose a directory or address book below to change or remove it.				
	E-mail Data Files RSS Feeds SharePoint Lists Internet Calendars Published Calendars Address Books				
	Image:				

3.Paspauskite **New...** mygtuką. Kitame lange pasirinkite **Internet Directory Services** ir paspauskite **Next**.

Add New Account	×
Directory or Address Book Type	*
You can choose the type of directory or address book you'd like to add.	5
Internet Directory Service (LDAP)	
Connect to an LDAP server to find and verify e-mail addresses and other information.	
Additional Address Books	
Connect to an address book to find and verify e-mail addresses and other information.	
La Dack Nave	Cancel

4. Kitame lange:

Server name: mail.adresas.lt.

Pažymėkite: This server requires me to log on.

User Name: uid=adresas iki @ ženklo,ou=people,dc=internetinis adresas be taško ir galūnės,dc=internetinio adreso galūnė.

pvz: uid=petras.petraitis,ou=people,dc=adresas,dc=lt

Pavyzdys pateiktas adresui: petras.petraitis@adresas.lt

Password įveskite el. pašto slaptažodį.

Paspauskite More Settings...

Directory Servi You can ente	ce (LDAP) Settings the required settings to access information in a directory service.	ار
Server Informat	ion	
Type the name of t	he directory server your Internet service provider or system administrator	
ias given you. Server Name:		
ogon Informati	on	
This server real	ires me to log on	
User Name:		
Password:		
Require Sec	ure Password Authentication (SPA)	
	More Settings	
	< Back Next >	Cancel

5. **Display Name** įveskite bet kokį pavadinimą.

6.Pasirinkite Search.

Microsoft LDAP Directory	
Connection Search	
Display Name	
The display name as it ap	pears in the Address Book
Calnet Directory	
Connection Details	
Port:	389
Use Secure Sockets Layer	
ОК	Cancel Apply

7.Pažymėkite **Custom**. Įveskite dc=internetinio adreso galūnė, pvz: dc=lt

ĺ	Microsoft LDAP Directory	<u> </u>
	Connection Search	
1	Server Settings	
	Search timeout in seconds: 60	
	Specify the maximum number of entries you want to return after a successful search:	
	Search Base	
	🔘 Use Default	
	Custom:	
	Browsing Enable Browsing (requires server support)	
	OK Cancel Ap	ply

8.Paspauskite **Apply** ir **OK** ir uždarykite korteles.



Unikalus sprendimo identifikatorius: #1053 Autorius: vip Paskutinis atnaujinimas: 2015-10-09 15:40