# Elektroninio pašto serveris Kaip sukonfigūruoti elektroninio pašto dėžutę MS Outlook 2013 programoje

1.Pasirinkite File meniu ir Info.



Click the

- 2.Pasirinkite Add Account.
- 3.Pasirinkite Manual setup or additional server types



6.Paspauskite Next.

Your Name:				
rour name;	John Smith			
Email Address:	jsmith@example.com	Mail to keep offline:		
Server Information		- 1 i		
Account Type:	IMAP 🗸			
Incoming mail server:	mail.example.com			
Outgoing mail server (SMTP):	mail.example.com			
Logon Information				
User Name:	jsmith@example.com			
Password:	*****			
✓ Re	emember password			
Require logon using Secur (SPA)	e Password Authentication			

- Įveskite laukelyje Name vardą, kuris bus matomas gavus iš Jūsų laišką.
- Įveskite elektroninio pašto adresą.
- Įveskite mail.example.com Jūsų Incoming Mail Server.

#### Pavyzdyje pateiktas example.com bet Jūs turite naudoti savo!

- Outgoing Mail Server įveskite tokį patį kaip Incoming Mail Server.
- Įveskite el. pašto adresą laukelyje **User Name**.
- [veskite el. pašto slaptažodį laukelyje **Password**.

#### 7. Paspauskite More Settings mygtuką.

	1	10	1	1	1	î.
IMAP 🗸						
mail.example.com						
mail.example.com						
jsmith@example.com						
****						
member password						
Password Authentication				N	1ore Setti	ngs
		<	Back	Next >	G	ancel

8. Paspauskite **Outgoing Server** kortelę.

	Internet E-mail Settings
General Outgoin	g Server Advanced
My outgoing se Use same se	erver (SMTP) requires authentication ettings as my incoming mail server
O Log on usin	g
User Name:	
Password:	
	Remember password
	OK Cancel

- 9. Pažymėkite My outgoing server (SMTP) requires authentication.
- 10.Įsitikinkite, kad pasirinkta Use same settings as my incoming mail server.
- 11.Pasirinkite **Advanced** kortelę.

General	Outgoing Server	r Advanced
Server Po	ort Numbers	
Incomi	ng server (IMAP):	993 Use Defaults
Use	the following typ	pe of encrypted connection: SSL 🗸
Outgo	ing server (SMTP):	587
Use	the following typ	pe of encrypted connection: SSL 🗸
Server Ti	meouts	v <del>8 </del>
Short		Long 1 minute
Folders		
Root f	older path: INBC	X
Sent Iter	ns	
Do	not save copies of	f sent items
Deleted	Items	
Mai	k items for deletio	on but do not move them automatically
Iter	ns marked for dele items in the mails	etion will be permanently deleted when box are purged.
J Dur	ge items when sw	ritching folders while online

- Jei naudojate POP3 protokolą SMTP prievado reikšmė 587, POP3 995. Kai kurie interneto tiekėjai blokuoja 587 prievadą, todėl Jums reikia kreiptis pas tokį tiekėją ir paklausti kokia turi būti SMTP reikšmė.
- Jei naudojate IMAP protokolą nurodykite 993 prievadą.
- Use the following type of encrypted connection nurodykite SSL.

#### Nežinote ką naudoti IMAP ar POP3?

12.Paspauskite **OK**.

#### 13.Paspauskite Next E-mail Accounts lange.

14.Paspauskite Finish.

Outlook 2013 sukonfigūruotas laiškų siuntimui ir gavimui. Unikalus sprendimo identifikatorius: #1016 Autorius: vip

Puslapis 5 / 6

#### (c) 2025 VIPhost <info@viphost.lt> | 2025-07-03 21:35

URL: http://kb.viphost.lt/content/5/17/lt/kaip-sukonfiguruoti-elektroninio-pasto-dezute-ms-outlook-2013-programoje.html

Paskutinis atnaujinimas: 2015-04-17 16:51

Puslapis 6 / 6 (c) 2025 VIPhost <info@viphost.lt> | 2025-07-03 21:35 URL: http://kb.viphost.lt/content/5/17/lt/kaip-sukonfiguruoti-elektroninio-pasto-dezute-ms-outlook-2013-programoje.html